



Manufacturers of physical access control, distributors of biometric systems



BOOTHS
SINGLE BOOTH



Excellence Through Security Engineering

Booths: Single Booth

Highest security for environments susceptible to sabotage, or theft. Two-stage authority check gives maximum protection. Compact dimensions facilitate installation in areas with limited floor space. Even with its functionality, the design has not been neglected, its elegant design blends in well in sophisticated areas.

DESIGN



Internal Or Semi-External Installation

Framework In Extruded Aluminium Fitted With Safety Glass

Available In Alternative Materials And Colours

Dimensions: 800mm Wide X 800mm Long, 2200mm High

FUNCTION



First Door Opens On An Authorised Signal, User Steps In, Door Closes, Authorised Signal, Second Door Opens For Passing Through
Multiple Tracking Sensors Prevention Of Multi Person Entry
Intercom, Card Reader Device Or Pushbutton Integration
Passage In Both Directions, Electronically Controllable
Normally Locked Mode, Metal Detector Is Optional

APPLICATION



Industrial Facilities
Corporate Facilities
Government Facilities
Military Facilities

BRANCHES

CAPE TOWN

32 Sycamore Crescent
Atlas Gardens
Durbanville
021 556 3866

JOHANNESBURG

Stand 73, Unit 4
Capital Hill Business Park
Midrand
011 975 6400

DURBAN

031 942 3437

www.imat.co.za
info@imat.co.za



TECHNICAL SPECIFICATIONS

Power Consumption: 80w

Battery Backup: Standard

Operation: Electro/Mechanical

Booth Dimensions: See Drawings

Safety Features: Optional Fail Lock/Fail-Safe Mechanism, Fire Alarm Integration

Environment: Indoor/ Semi-Outdoor

Accessories: Metal Detector

Finishing Options: Natural Anodised Aluminium, different sizing available,

- . 800W x 800D x 2200mm High 6.5 mm laminated glass
- . 800W x 800D x 2200mm High 28mm BRG glass
- . 900W x 900D x 2200mm High 6.5 mm laminated glass
- . 1000W x 1000D x 2200mm High 6.5 mm laminated glass
- . 1200W x 1200D x 2200mm High 6.5 mm laminated glass
- . 1500W x 1300D x 2200mm High 6.5 mm laminated glass

Installation Requirements: Concrete Base

